

# TARGETS IN HETEROCYCLIC SYSTEMS

## Chemistry and Properties

Volume 10 (2006)  
Table of Contents

### **2,3-Dinitro-1,3-butadienes: versatile building-blocks from the ring opening of 3,4-dinitrothiophene**

*Lara Bianchi, Massimo Maccagno, Giovanni Petrillo, Fernando Sancassan, Domenico Spinelli and Cinzia Tavani*

1. Introduction
  2. Ring opening of 3,4-dinitrothiophene to 2,3-dinitro-1,3-butadiene-1,4-diamines
  3. Access to 1,4-diaryl- or 1,4-dialkyl-substituted 2,3-dinitro-1,3-butadienes
    - 3.1. Reaction of 2,3-dinitro-1,3-butadiene-1,4-diamines with alkyl or aryl Grignard reagents
    - 3.2. Reaction of 2,3-dinitro-1,3-butadiene-1,4-diamines with vinyl Grignard reagents
    - 3.3. Reaction of 2,3-dinitro-1,3-butadiene-1,4-diamines with benzyl Grignard reagents
  4. Synthetic exploitation of 1,4-disubstituted 2,3-dinitro-1,3-butadienes
    - 4.1. Reduction products and heterocyclic compounds therefrom
      - 4.1.1. Monooximes and dioximes as precursors of nitrogen/oxygen heterocycles
      - 4.1.2. Diamines
      - 4.1.3. Nitroalkanes and ketones
    - 4.2. Cyclization products
      - 4.2.1. Ethynylpyrroles
      - 4.2.2. Pyrrolines, pyrrolidines and pyrroles
      - 4.2.3. Monocyclopropanes, bis(cyclopropyl)s and heterocycles therefrom
  5. Conclusions
- Acknowledgements  
References

### **Macrocyclic peptoids: N-alkylated cyclopeptides and depsipeptides**

*Ludger A. Wessjohann, Carlos Kleber Z. Andrade, Otilie E. Vercillo and Daniel G. Rivera*

1. Introduction
  2. N-Methyl cyclopeptides and depsipeptides
    - 2.1. Purely N-heterocyclic peptides
      - 2.1.1. Natural purely N-heterocyclic peptides
      - 2.1.2. Synthetic N-methylated cyclopeptides
    - 2.2. N-Methylated depsipeptides
      - 2.2.1. Natural N-methylated depsipeptides
      - 2.2.2. Synthetic N-methylated depsipeptides
  3. Higher N-alkyl cyclopeptides and depsipeptides
    - 3.1. Synthetic higher N-alkyl cyclopeptides with disulfide bridge
    - 3.2. Synthetic higher N-alkyl cyclopeptides
    - 3.3. Depsipeptides
    - 3.4. Other synthetic cyclopeptoids
  4. Proline-containing cyclopeptides and depsipeptides
    - 4.1. Natural disulfide bridge proline-containing cyclopeptides
    - 4.2. Proline-containing cyclopeptides
      - 4.2.1. Natural derivatives
      - 4.2.2. Synthetic derivatives
    - 4.3. Natural proline-containing depsipeptides
    - 4.4. Synthetic proline-containing cyclopeptoids
  5. Conclusions
- List of abbreviations  
References

## **Multi-component syntheses of heterocycles by virtue of palladium catalyzed generation of alkynones and chalcones**

*Thomas J. J. Müller*

1. Introduction
2. Multi-component syntheses of heterocycles *via* alkynones by coupling-addition sequences
3. Multi-component syntheses of heterocycles *via* chalcones by coupling-isomerization sequences
4. Conclusion and outlook

Acknowledgments

References

## **Covalent C=N bond hydration in heteroaromatic compounds: chemical and biological aspects**

*Simon Maechling and Stephen Lindell*

1. Introduction
2. Covalent hydration of nitrogen containing heteroaromatic rings
  - 2.1. Pyrimidines
  - 2.2. Pyrimidinones
  - 2.3. Pyrimidopyrimidines
  - 2.4. Imidazotriazines
  - 2.5. Nitrobenzofuroxans
3. Biological aspects of covalent hydration
  - 3.1. Adenosine deaminase and adenosine monophosphate deaminase
    - 3.1.1. Pteridines and purines
    - 3.1.2. Azapurines and pyrazolopyrimidines
    - 3.1.3. Imidazotriazines and triazolotriazines
  - 3.2. Cytidine deaminase
  - 3.3. Cytosine deaminase

4. Conclusion

References

## **Cyclodextrins: heterocyclic molecules able to perform chiral recognition (Part II)**

*Francesca D'Anna, Paolo Lo Meo, Renato Noto and Serena Riela*

1. Introduction
  2. Recognition properties of cyclodextrins towards pharmaceuticals and natural products
  3. Cyclodextrins as selectors in bulk-scale enantioseparations
  4. Cyclodextrins as selectors in analysis
  5. Cyclodextrins as auxiliaries in stereocontrolled reactions
- Bibliography and notes
- Appendix: Most recent thermodynamic data pertaining chiral discrimination by cyclodextrins

## **From acylsilanes to fluorinated heterocycles**

*Richard Plantier-Royon and Charles Portella*

1. Introduction
  - 1.1. Organofluorine compounds: general properties and interest
  - 1.2. Fluorinated heterocycles
2. From acylsilanes to polyfluorinated heterocycles
  - 2.1. Acylsilanes and their reaction with perfluoroorganometallic reagents
  - 2.2. Applications to the synthesis of polyfluorinated heterocycles: the typical reaction schemes
3. Synthesis of fluorinated heterocycles
  - 3.1. Synthesis of polyfluorinated imidazolidines and oxazolidines
  - 3.2. Synthesis of polyfluorinated benzodiazepines and benzothiazepines
  - 3.3. Synthesis of polyfluorinated pyrazoles
  - 3.4. Synthesis of polyfluorinated pyrimidines
4. Applications in carbohydrates series

- 4.1. Synthesis of carbohydrate-derived acylsilanes
  - 4.2. Carbohydrate-based polyfluorinated heterocycles
  - 4.3. Fluorinated homo-C-nucleoside analogues
5. Miscellaneous
  6. Conclusion
- Acknowledgments
- References

### **Carboxymethyl tri-*O*-acetyl- $\alpha$ -D-glucopyranoside 2-*O*-lactone: a synthon for the preparation of neoglucoconjugates**

*Yves Queneau, Stéphane Chambert, Rouba Cheaib, Arkadiusz Listkowski, Alain Doutheau and Stéphane Trombotto*

1. Introduction
    - 1.1. Synthesis of carboxymethyl glucoside and its lactone from isomaltulose
    - 1.2. Alternative accesses to carboxymethyl glucosides
    - 1.3. Uses of carboxymethyl glucosides
  2. Reactions of carboxymethyl glucoside lactone with alcohols
  3. Reactions of carboxymethyl glucoside lactone with amines
    - 3.1. Glycoaminoacid hybrids
    - 3.2. Pseudodisaccharides
    - 3.3. Glycosylated porphyrins
    - 3.4. Neoglycolipids
    - 3.5. Miscellaneous
  4. Reactions of carboxymethyl glucoside lactone with vinyl magnesium bromide
  5. Structural variations on CMG-adducts
  6. Conclusions and perspectives
- Acknowledgments
- References

### ***N,N*-Diprotected dehydroamino acid derivatives: versatile substrates for the synthesis of novel amino acids**

*Paula M. T. Ferreira and Luís S. Monteiro*

1. Introduction
  2. Synthesis of  $\alpha,\beta$ -dehydroamino acid derivatives
    - 2.1. Introduction
    - 2.2. Elimination reactions
    - 2.3. Synthesis of *N,N*-diprotected dehydroamino acids
  3. *N,N*-Diprotected dehydroamino acids as precursors of novel amino acid derivatives
    - 3.1. Introduction
    - 3.2. Synthesis of  $\beta$ -substituted amino acids
    - 3.3. Synthesis of  $\beta$ -substituted dehydroamino acids
    - 3.4. Synthesis of  $\alpha,\alpha$ -disubstituted amino acids
    - 3.5. Synthesis of dihydrofurans and pyrroles
  4. Conclusions
  5. Acknowledgments
- References

### **Pyrazolo[4,3-*e*][1,2,4]triazolo[1,5-*c*]pyrimidines and linked heterocycles as template for the adenosine receptor antagonism: medicinal chemistry approach and SAR considerations**

*Pier Giovanni Baraldi, Romeo Romagnoli, Hussein El-Kashef, Mojgan Aghazadeh Tabrizi, Delia Preti, Maria Giovanna Pavani, Lorenzo Zanella and Francesca Fruttarolo*

1. Introduction
  - 1.1. Adenosine receptor antagonists: non-xanthine derivatives

2. Pyrazolo[4,3-*e*][1,2,4]-triazolo[1,5-*c*]-pyrimidine template as adenosine receptor antagonist
    - 2.1. A<sub>2A</sub> Adenosine receptor antagonists: chemical approach
    - 2.2. Pyrazolo-triazolo-pyrimidines as A<sub>3</sub> adenosine receptor antagonists
    - 2.3. Water-soluble A<sub>3</sub> adenosine receptor antagonists
  3. Modifications introduced to the pyrazolo-triazolo-pyrimidine nucleus
    - 3.1. Modifications at the 2-position
    - 3.2. Modifications at the 9-position
  4. New heterocycles with a conserved pyrazolo[4,3-*e*]pyrimidine core
  5. Conclusion
- Acknowledgments
- References

## **Palladium-catalyzed one-pot multiple bond formation in nitrogen-containing polyheterocycles synthesis**

*Victor Mamane*

1. Introduction
  2. Fused five-membered heterocycles
    - 2.1. Indoles and other annulated pyrroles
      - 2.1.1. Sonogashira/amination domino reaction between *o*-haloanilines and terminal alkynes
      - 2.1.2. Aminopalladation/reductive elimination domino reaction: the Cacchi reaction
      - 2.1.3. Intermolecular Heck-type reaction between *o*-haloanilines and alkynes: the Larock heteroannulation
      - 2.1.4. Cyclization *via* the intramolecular Heck reaction of *N*-arylenamines
      - 2.1.5. Cyclization of arylalkynes bearing an isocyanato group at the *ortho* position
      - 2.1.6. Cyclization of *o*-halo-*N*-alkynylanilides
      - 2.1.7. Cyclization *via* Buchwald-Hartwig amination reaction
    - 2.2. Carbazoles
      - 2.2.1. Double Buchwald-Hartwig amination of 2,2'-dihalobiphenyl
      - 2.2.2. Intramolecular Heck-type reaction of diarylamines
    - 2.3. (Iso)indoline, (iso)indolinone and fused pyrrolidines
      - 2.3.1. Cyclisation *via* Heck reaction
      - 2.3.2. Cyclizations involving an intramolecular amination reaction
      - 2.3.3. Cyclization of arylalkynes bearing an isocyanato group at the *ortho* position
      - 2.3.4. Cyclizations involving allenes
    - 2.4. Other five-membered heterocycles
  3. Fused six-membered heterocycles
    - 3.1. (Iso)quinoline and (iso)quinolone derivatives
      - 3.1.1. Iminoannulation strategy
      - 3.1.2. Carbonylation/aminocyclization strategy
      - 3.1.3. Cross-coupling/cyclization strategy
      - 3.1.4. Cyclizations involving allenes
    - 3.2. Phenanthridin(on)es
    - 3.3. Other six-membered heterocycles
  4. Conclusions
- Acknowledgments
- References

## **Study of the by-products of benzo[*f*]indolizines syntheses: a quest towards structural diversity**

*Benoît Rigo and Rufine Akué-Gédu*

1. Introduction: some background on pyroglutamic acid
  - 1.1. The forgotten aminoacid
  - 1.2. The *N*-benzylpyroglutamic acids
2. Initial investigations

- 2.1. Is dichloromethane a solvent or a reactive?
  - 2.2. *N*-Acyliminium salts from pyroglutamic acids
  - 2.3. General reactivity of *N*-acyliminium salts
  - 2.4. Synthesis of 5-arylpyrrolidones
  - 2.5. Are the reactivities of 5-carboxy and 5-methoxy-pyrrolidone identical?
    - 2.5.1. A proposal: pyroglutamic acids can lead to neothramycine-like compounds
    - 2.5.2. This is not an *N*-acyliminium salt!
  - 2.6. Some other cases of pyroglutamic acids decarbonylation
  - 2.7. A first conclusion on pyroglutamic acids decarbonylation
  3. Some other pieces to the puzzle
    - 3.1. Some background on tubuline inhibitors
    - 3.2. Cyclization of benzhydryl derivatives
    - 3.3. X-Ray diagram of ester **35**
    - 3.4. A proposal mechanism
  4. Rearrangements in the benzo[*f*]indolizinedione series
    - 4.1. Transposition in acidic media
      - 4.1.1. Reaction in PPA
      - 4.1.2. Reaction in aqueous HCl
      - 4.1.3. Mechanisms based on pinacol transposition and *N*-acyliminium salts
      - 4.1.4. Mechanistic considerations show the ways for useful syntheses
      - 4.1.5. Conclusion on transpositions in acid conditions
    - 4.2. Oxidations of benzo[*f*]indolizinediones
      - 4.2.1. Oxidation of ketones in MeONa/MeOH
      - 4.2.2. Transformations of the CON-C(OR)-CO group described in literature
      - 4.2.3. Oxidation in dichloromethane
      - 4.2.4. An easier synthesis of previous compounds
      - 4.2.5. Attempted generalization of the oxidations
  5. From by-products to potential DNA-intercalators
    - 5.1. Synthesis of the *N*-arylmethylpyroglutamic acids
    - 5.2. Friedel-Craft cyclization of the pyroglutamic acids
    - 5.3. Syntheses of the hydroxyquinoline scaffolds
    - 5.4. Activation of the acids
    - 5.5. Syntheses of the amides
  6. Conclusion
- Acknowledgments
- References

## Synthesis of sulfur-heterocycles from aromatic thioketones. Part II: five- and six-membered and larger rings

*Grzegorz Mlostoń and Heinz Heimgartner*

1. Introduction
2. Synthesis of five-membered rings
  - 2.1. Thiophene derivatives
  - 2.2. Dithiolane and dithiole derivatives
  - 2.3. 1,2,4-Trithiolanes
  - 2.4. Rings with S, N- or S, O-atoms
    - 2.4.1. 1,3-Thiazole derivatives
    - 2.4.2. 1,3-Oxathiolane and 1,3-oxathiols derivatives
  - 2.5. Rings with one S-atom and two other heteroatoms
    - 2.5.1. Thiadiazole derivatives
    - 2.5.2. 1,4,2-Oxathiazole derivatives
    - 2.5.3. 1,4,2-Dithiazole derivatives
    - 2.5.4. 1,2,4-Oxadithiolane derivatives

- 2.5.5. 1,2,3,4-Thiatriazole derivatives
- 3. Synthesis of six-membered rings
  - 3.1. Thiopyrane derivatives
    - 3.1.1. Aromatic thioketones as dienophiles
    - 3.1.2. Aromatic thioketones as heterodienes
  - 3.2. Rings with two S-atoms
    - 3.2.1. 1,2-Dithiine derivatives
    - 3.2.2. 1,3-Dithiine derivatives
    - 3.2.3. 1,4-Dithiane and 1,4-dithiine derivatives
  - 3.3. 1,3,5-Trithianes, tetrathianes and pentathianes
    - 3.3.1. 1,3,5-Trithianes
    - 3.3.2. Tetrathianes
    - 3.3.3. Pentathianes
  - 3.4. Rings with S, N- or S, O-atoms
    - 3.4.1. 1,3-Thiazine derivatives
    - 3.4.2. 1,3-Oxathiine derivatives
  - 3.5. Rings with one S-atom and two other heteroatoms
    - 3.5.1. 1,3,4- and 1,3,5-Thiadiazine derivatives
    - 3.5.2. 1,5,2- and 1,3,5-Oxathiazine derivatives
  - 3.6. Rings with two S-atoms and another heteroatom
  - 3.7. Other six-membered sulfur heterocycles
- 4. Synthesis of seven- and eight-membered rings
- 5. Conclusions
- References

## **Organophosphorus reagents as a versatile tool in the synthesis of $\alpha$ -alkylidene- $\gamma$ -butyrolactones and $\alpha$ -alkylidene- $\gamma$ -butyrolactams**

*Tomasz Janecki*

- 1. Introduction
- 2. Occurrence and biological activity
- 3. Syntheses of  $\alpha$ -alkylidene- $\gamma$ -butyrolactones and  $\alpha$ -alkylidene- $\gamma$ -butyrolactams
  - 3.1. Syntheses *via* Wittig reaction
  - 3.2. Syntheses *via* Horner-Wadsworth-Emmons reaction
- 4. Conclusions
- References

## **Synthesis of nitrobenzazoles. Part II**

*Lyudmila I. Larina, Irina A. Titova and Valentin A. Lopyrev*

- 1. Synthesis of nitrobenzazoles *via* heterocyclization
  - 1.1. Nitrobenzoxazoles, nitrobenzoxazoles, nitrobenzoxadiazoles
  - 1.2. Nitrobenzothiazoles, nitrobenzothiazoles, nitrobenzothiadiazoles
  - 1.3. Nitrobenzisoselenazoles, nitrobenzoselenazoles, nitrobenzoselenodiazoles
  - 1.4. Nitrobenzotriazoles
- 2. Other methods of synthesis
  - 2.1. The Sandmeyer reaction
  - 2.2. Recyclization
- 3. Conclusions
- Acknowledgments
- References