

TARGETS IN HETEROCYCLIC SYSTEMS

Chemistry and Properties

Volume 11 (2007)
Table of Contents

Versatile nitrobutadienic building-blocks from the ring-opening of 2- and 3-nitrothiophenes

Lara Bianchi, Massimo Maccagno, Giovanni Petrillo, Egon Rizzato, Fernando Sancassan, Elda Severi, Domenico Spinelli, Cinzia Tavani and Maurizio Viale

1. Introduction
 2. The behaviour of 2-nitrothiophenes towards secondary amines
 - 2.1. Ring-opening of 2-nitrothiophene to 1-amino-4-nitro-1,3-butadienes
 - 2.2. Ring-opening vs. oxidative nucleophilic substitution of hydrogen on alkyl-2-nitrothiophenes
 3. The reaction of 3-nitrothiophene derivatives other than 3,4-dinitrothiophene with secondary amines: synthesis of variously functionalized 1-amino-2-nitro-1,3-butadienes
 4. Synthetic exploitation of nitrobutadienic building-blocks
 - 4.1. The reaction of 1-aryl-4-methylthio- or 1-aryl-4-methylsulfonyl-4-nitrobutadienes with diazo-methane: an interesting dichotomic behaviour
 - 4.2. Synthesis of 5-(methylthio)isoxazoles from 2-methylthio-4-nitrothiophene
 - 4.3. Thermal cyclization of products deriving from the ring-opening of 3-nitrothiophene and 3-nitro-4-phenylsulfonylthiophene
 - 4.4. Base induced cyclization of ring-opening products from 3-nitrothiophene
 - 4.5. Base induced cyclization of ring-opening products from 3-nitrobenzo[*b*]thiophene
 5. Pharmacological activity of some nitrobutadienes
 6. Conclusions
- Acknowledgments
References

Synthesis and properties of covalent cofacial bisporphyrins

Grégory Pognon, Jennifer A. Wytko and Jean Weiss

1. Introduction
 2. Cofacial bisporphyrins and photosynthesis
 3. General spectral and redox properties of porphyrins
 4. Rigid assemblies
 5. Flexible assemblies
 - 5.1. Flexible scaffolds requiring a stimulus for cofacial arrangement
 - 5.2. Flexible species with two links: cyclophanes
 - 5.3. Flexible preorganized cofacial arrangements
 6. Conclusion
- References

Pyrazolopyrimidines: old molecules, new targets

Silvia Schenone, Marco Radi and Maurizio Botta

1. Introduction
2. Preparation of pyrazolo[3,4-*d*]pyrimidines
3. Selective N1-substitution of pyrazolo[3,4-*d*]pyrimidines
4. Biological activity of 4-aminosubstituted pyrazolo[3,4-*d*]pyrimidines
 - 4.1. Adenosine receptor antagonists
 - 4.2. Tyrosine kinases inhibitors
 - 4.2.1. EGFR TK inhibitors
 - 4.2.2. Src TK inhibitors
 - 4.2.3. c-Src and Abl inhibitors

5. Conclusions

References

Recent development in pyridine-based ligands: syntheses and applications

Frédéric Dumur, Eddy Dumas and Cédric R. Mayer

1. Introduction

2. Synthetic approaches to polypyridyl ligands

2.1. Nature of the chelating ligands

2.2. Synthesis of bidentate ligands

2.2.1. Pre-functionalization

2.2.2. Post-functionalization

2.3. Synthesis of tridentate ligands

2.3.1. Cyclisation

2.3.2. Coupling reactions

3. Applications

3.1. Optical properties

3.1.1. NonLinear Optical (NLO) materials

3.1.1.1. Molecular engineering based on 4,4'-substituted-2,2'-bipyridine

3.1.1.2. Molecular engineering based on 2,2':6',2''-terpyridine

3.1.2. Luminescence properties

3.1.2.1. Bipyridines and terpyridines with naphthalene subunits

3.1.2.2. Terpyridines with pyrene subunits

3.1.2.3. Polypyridines with boron dipyrromethene dyes

3.1.3. Photochromism

3.1.3.1. Dithienylethene

3.1.3.2. Spirooxazine

3.1.4. Organic light emitting diodes (OLEDs)

3.2. Towards inorganic polymers

3.2.1. Oligomers

3.2.1.1. Linear oligomers

3.2.1.2. Cyclic oligomers

3.2.2. Molecular wires

3.3. Surface functionalization

3.3.1. Functionalization of oxometallic surfaces

3.3.2. Functionalization of metallic surface

4. Conclusion

Acknowledgments

References

Synthetic solutions for the tetrahydropyran-moiety of annonaceous acetogenins

Ulrich Koert

1. Introduction

2. Ring-closure of the THP ring *via* CO bond formation

2.1. Epoxide opening

2.2. Acetal/hemiacetal formation/reduction

2.3. Nicholas reaction

2.4. Oxa-Michael addition

3. Ring-closure of the THP ring *via* CC bond formation

3.1. SmI₂-induced reductive cyclization

3.2. Allylboration

3.3. Ring closing olefin metathesis

4. Hetero Diels-Alder

5. Chiral pool approach

- 6. Conclusion
- Acknowledgments
- References

Recent developments in the chemistry of 2-thienylpyrroles: synthesis, reactivity and applications

M. Manuela M. Raposo

- 1. Introduction
- 2. Synthesis of 2-thienylpyrroles
 - 2.1. Introduction
 - 2.2. Synthesis through the combination of the Friedel-Crafts and the Lawesson reactions
 - 2.2.1. Synthesis of secondary alkyl and aryl-4-(2'-thienyl)-4-oxobutanamides
 - 2.2.2. Reaction of secondary alkyl and aryl-4-(2'-thienyl)-4-oxobutanamides with Lawesson's reagent
- 3. Synthesis of donor-acceptor substituted 2-thienylpyrrole derivatives
 - 3.1. Introduction
 - 3.2. 2-Thienylpyrrole azo dyes
 - 3.3. Tricyanovinyl 2-thienylpyrroles
 - 3.4. Formyl 2-thienylpyrroles
 - 3.4.1. Introduction
 - 3.4.2. Vilsmeier formylation
 - 3.4.3. Metalation followed by reaction with DMF
 - 3.5. Dicyanovinyl 2-thienylpyrroles
 - 3.6. 2-Thienylpyrrolyl-benzothiazoles
 - 3.7. 2-Thienylpyrrolyl-benzimidazoles
- 4. Applications
 - 4.1. Introduction
 - 4.2. Conducting polymers
 - 4.3. Solvatochromic probes
 - 4.4. Nonlinear optical (NLO) materials
 - 4.5. Photochromic systems
 - 4.6. Organic light-emitting devices (OLED's)
- 5. Conclusions
- Acknowledgments
- References

Quinoline functionalization by deprotonative metalation

Jean-Martial L'Helgoual'ch, Floris Chevallier and Florence Mongin

- 1. Introduction
- 2. Functionalization of halogen- and trifluoromethyl-substituted quinolines
 - 2.1. Fluoroquinolines
 - 2.2. (Trifluoromethyl)quinolines
 - 2.3. Chloroquinolines
 - 2.4. Bromoquinolines
- 3. Functionalization of quinolines bearing oxygen-based substituents
 - 3.1. Hydroxyquinolines and quinolones
 - 3.2. Alkoxyquinolines
 - 3.3. *O*-(Quinolyl)carbamates
- 4. Functionalization of quinolines bearing nitrogen-based substituents
- 5. Functionalization of quinolines bearing carbon-based substituents
 - 5.1. Quinolinecarboxylic acids
 - 5.2. Quinolinecarboxamides
 - 5.3. Other quinolines bearing carbon-based substituents
- 6. Functionalization of *N*-activated quinolines and isoquinolines

- 6.1. *N*-Activated quinolines
- 6.2. *N*-Activated isoquinolines
- 7. Functionalization of other substituted quinolines and isoquinolines
 - 7.1. Triazoloquinolines
 - 7.2. Triazoloisoquinolines
 - 7.3. Pyrazoloisoquinolines
- 8. Functionalization of unsubstituted quinoline and isoquinoline
- 9. Conclusions
- References

Tetrafluoroacridines: synthesis, properties and applications in material science

Luciano Miozzo, Paola Del Buttero and Antonio Papagni

- 1. Introduction
 - 1.1. Multi-step syntheses of 1,2,3,4-tetrafluoro-acridines
 - 1.2. One-pot synthesis of 1,2,3,4-tetrafluoro-acridines
 - 1.3. Synthesis of new 1,2,3,4-tetrafluoro-acridines
 - 1.4. Synthesis of polyfluoro-hydroxy-acridines
 - 1.5. Nucleophilic substitutions reactions on 1,2,3,4-tetrafluoro-acridines
 - 1.6. Introduction of electron-poor, fluorinated substituents on 1,2,3,4-tetrafluoro-acridines
 - 1.7. Final remarks
- 2. Electronic properties: photophysics and electrochemistry
- 3. OLEDs based on tetrafluoro-acridines
- 4. Vinyl-tetrafluoro-acridine: a monomer for a semiconducting polymer?
- 5. Modification of the surface of polyamide nanofibers doped with a fluorinated acridine
- 6. Conclusions and outlook
- Acknowledgments
- References

The hypervalent iodine mediated intramolecular nitrogen–heteroatom bond formation in the synthesis of pyrazole and isothiazole type heterocycles

Imanol Tellitu, Arkaitz Correa and Esther Domínguez

- 1. Introduction
 - 1.1. Indazoles, indazolones and benzisothiazolones. Biological activity and synthetic approaches
- 2. Hypervalent iodine assisted heteroatom–heteroatom bond formation
 - 2.1. Oxidative processes mediated by hypervalent iodine reagents
 - 2.2. The acylnitrenium approach
 - 2.3. Iodine (III) mediated synthesis of indazolones and pyrazolones
 - 2.4. Iodine (III) mediated synthesis of isothiazolones
- 3. Conclusions
- Acknowledgments
- References

1,2,4,5,10b,10c-Hexahydropyrrolo[1',2',3':1,9a,9]imidazo[1,2-*a*]indole, a novel tetraheterocyclic system: studies toward indole alkaloid analogue

Juan A. González-Vera, Pilar Ventosa-Andrés, M. Teresa García-López and Rosario Herranz

- 1. Introduction
 - 1.1. 1,2,4,5,10b,10c-Hexahydropyrrolo[1',2',3':1,9a,9]imidazo[1,2-*a*]indoles from tryptophan derived α -amino nitriles. An unexpected synthesis
 - 1.2. Hexahydropyrrolo[2,3-*b*]indole alkaloids
 - 1.3. Tetrahydroimidazo[1,2-*a*]indole alkaloids
- 2. 10b-Unsubstituted hexahydropyrrolo[1',2',3':1,9a,9]imidazo[1,2-*a*]indoles
 - 2.1. Characterization

- 2.2. Synthesis optimization
- 2.3. Reactivity
- 2.4. Scope and stereoselectivity of the domino tautomerization of Trp-derived α -amino nitriles
- 2.5. Exploration toward pyrazino[1',2':1,5]pyrrolo[2,3-*b*]indole alkaloid analogues
- 3. 10b-Substituted hexahydropyrrolo[1',2',3':1,9a,9]imidazo[1,2-*a*]indoles
 - 3.1. Halogenation
 - 3.2. Allylation and prenylation
 - 3.3. Methylation
 - 3.4. Oxidation
- 4. Conclusions
- Acknowledgments
- References

Synthesis of functionalized indazoles and their tris(indazolyl)borate tripodal derivatives as building blocks for the preparation of molecular rotary motors

Gwénaél Rapenne, Guillaume Vives and Alexandre Carella

- 1. Introduction
- 2. Synthesis of indazoles
 - 2.1. General aspects
 - 2.2. Synthesis from 2-methylaniline *via* a ring-closure reaction
 - 2.3. Synthesis *via* the aromatization of a fused pyrazole-cyclohexane
 - 2.4. Application to the synthesis of 6-functionalized indazoles
 - 2.4.1. The 6-(ethoxycarbonyl)indazole building block
 - 2.4.2. The 6-[(ethylsulfanyl)methyl]indazole building block
- 3. Synthesis of the tris(indazolyl)borate tripodal ligands
 - 3.1. Historical background: synthesis and regiochemistry of the tris(pyrazolyl)borate derivatives: the scorpionates
 - 3.2. Synthesis and regiochemistry of the unfunctionalized tris(indazolyl)borate tripod
 - 3.3. Synthesis and regiochemistry of the tris(indazolyl)borate derivatives
 - 3.3.1. The ester-functionalized tripod (KTP^{4Bo,6-COOEt})
 - 3.3.2. The thioether-functionalized tripod (KTP^{4Bo,6-CH₂SEt})
- 4. Integration of the tripodal ligands as stators in a molecular motor
 - 4.1. Principle of an electron-triggered molecular motor
 - 4.2. Synthesis of the molecular motors
- 5. Conclusions
- Acknowledgments
- References

Analogues Tröger's base: recent developments and controversies

Delphine Didier and Sergey Sergeev

- 1. Introduction
- 2. Synthetic chemistry of Tröger's base and its analogues
 - 2.1. Synthesis of symmetrical analogues of Tröger's base
 - 2.2. Synthesis of unsymmetrical analogues of Tröger's base
 - 2.3. Transformations of functional groups attached to the aromatic rings of 6*H*,12*H*-5,11-methanodibenzo[*b,f*][1,5]diazocine
 - 2.4. Reactivity of the aromatic rings of 6*H*,12*H*-5,11-methanodibenzo[*b,f*][1,5]diazocine
 - 2.5. Reactivity of the aliphatic bicyclic system of 6*H*,12*H*-5,11-methanodibenzo[*b,f*][1,5]-diazocine
- 3. Enantioseparations of Tröger's base and its analogues
- 4. Assignment of the absolute configuration of Tröger's base and its analogues
- 5. Uses and applications of Tröger's base and its analogues

5.1. Overview of recent applications of Tröger's base analogues

5.2. Applications based on the chirality of Tröger's base scaffold

6. Conclusions

Acknowledgments

References

Phenolic oxidative coupling in the biomimetic synthesis of heterocyclic lignans, neolignans and related compounds

Carmela Spatafora and Corrado Tringali

1. Introduction

2. Metal-mediated phenolic oxidative coupling

3. Enzyme-mediated phenolic oxidative coupling

4. Conclusions

Acknowledgments

References

New synthetic approaches to biologically relevant heterocyclic quinones and quinoneimines

Carmen Avendaño and J. Carlos Menéndez

1. Introduction

2. Diazaanthraquinones

3. Carbazolequinones

4. A new approach to 2-amino-3-alkylquinones

5. Heterocyclic quinoneimines

Acknowledgments

References and notes

Catalytic intramolecular C-H aminations: a powerful tool for the synthesis of various heterocyclic systems

Philippe Compain and Sylvestre Toumieux

1. Introduction

2. A powerful tool for C-H amination

2.1. Regioselectivity

2.2. Reaction stereospecificity

2.3. Diastereoselectivity

2.4. Oxathiazinanes as versatile intermediates

3. Access to cyclic carbamates, sulfamidates and related compounds

3.1. Access to cyclic carbamates

3.2. Access to cyclic sulfamidates

3.3. Comparison of the various amination procedures

3.4. Access to various heterocycles

3.5. Enantioselective intramolecular C-H aminations

4. Application to the synthesis of natural products and related compounds

4.1. Iterative multifunctionalization of unactivated C-H bond in piperidines

4.2. Total synthesis of natural heterocyclic products using carbamate substrates

4.3. Total synthesis of natural heterocyclic products using sulfamic acid substrates

5. Conclusion

Acknowledgments

References

Galanthamine, a biologically active, naturally occurring heterocyclic ring system

José Marco-Contelles, Elena Pérez-Mayoral, Albert Nguyen Van Nhien and Denis Postel

1. Introduction

2. Syntheses of galanthamine

- 2.1. Synthesis using the phenolic oxidative coupling
 - 2.1.1. Synthesis of racemic galanthamine
 - 2.1.2. Synthesis of (-)-galanthamine
 - 2.2. Synthesis using the intramolecular Heck reaction
 - 2.2.1. Synthesis of 6-deoxygalanthamine derivatives
 - 2.2.2. Synthesis of racemic galanthamine
 - 2.2.3. Synthesis of (-)-galanthamine
 - 2.3. Miscellaneous
 3. Synthesis of galanthamine analogues and derivatives
 4. Conclusions and perspectives
- References

Generation of nitroso species and their use as dienophiles in the hetero Diels Alder reaction

Mauro F. A. Adamo and Simone Bruschi

1. Introduction
 2. Arylnitroso dienophiles
 3. α -Chloronitroso dienophiles
 4. Iminonitroso dienophiles
 5. Acylnitroso dienophiles
 - 5.1. Generation of acylnitroso species
 - 5.2. Applications in organic synthesis
 - 5.3. Intramolecular reactions
 - 5.4. Asymmetric acylnitroso Diels-Alder reactions
 6. α -Acetoxynitroso dienophiles
 7. *P*-Nitroso dienophiles
 8. Synthesis of natural products
- Acknowledgements
- References

Cyclophanes and bicyclophanes: fascinating molecules in organic chemistry

Joaquín Campos, Ana Conejo-García, Antonio Entrena, Miguel A. Gallo and Antonio Espinosa

1. Introduction
 2. Bispyridinium cyclophanes: novel templates for human ChoK inhibitors
 - 2.1. Synthesis
 - 2.2. Biological activity
 - 2.3. A model for the inhibition of ChoK by a new type of inhibitor
 - 2.4. Structure-activity relationships
 3. A C_3 -symmetrical triquinolina triscationic bicyclophane: a highlight of a molecular architecture
 - 3.1. ^1H and ^{13}C NMR assignments
 - 3.2. Conformational behaviour of bicyclophane **11**
 - 3.3. Biological activity
 4. Conclusions
- Acknowledgments
- References

ISBN 978-88-86208-52-9 ISSN 1724-9449
Euro 75.00 (SCI Members Euro 45.00) + postal expenses

X + 448 pp