

TARGETS IN HETEROCYCLIC SYSTEMS

Chemistry and Properties

Volume 14 (2010)

Table of Contents

Cycloaddition reactions of conjugated azoalkenes	1
<i>Américo Lemos</i>	
1. Introduction	
2. Synthesis or generation of azoalkenes	
3. Cycloaddition reactions of azoalkenes	
3.1. [4+2] Cycloadditions	
3.1.1. With electron-rich C=C bonds and heterocycles	
3.1.2. With electron-rich aromatic heterocycles	
3.1.3. With electron-deficient dienophiles	
3.2. [3+2] Cycloadditions	
3.3. [4+1] Cycloadditions	
3.4. [2+2] Cycloadditions	
3.5. [2+1] Cycloadditions	
4. Final remarks	
References	
Nucleophilic substitution of hydrogen – an efficient tool in the synthesis of heterocyclic compounds	19
<i>Mieczysław Mąkosza and Krzysztof Wojciechowski</i>	
1. Introduction	
2. Introduction of substituents into heterocyclic systems <i>via</i> nucleophilic substitution of hydrogen	
2.1. Carbon substituents	
2.2. Heteroatom substituents	
3. Synthesis of heterocyclic systems <i>via</i> nucleophilic substitution of hydrogen	
3.1. Indoles	
3.1.1. Indoles <i>via</i> cyanomethylation	
3.1.2. Indoles from 2-nitrobenzyl sulfones	
3.1.3. Aminoindoles and oxindoles	
3.2. Other condensed heterocycles obtained <i>via</i> nucleophilic substitution of hydrogen	
4. Conclusion	
Acknowledgment	
References	
Hetero Diels- Alder (HAD) reactions of 1-phosphono-1,3-butadienes with azo and nitroso	49

dienophiles: an entry towards versatile heterocyclic synthons for aminophosphonic compounds

Jean-Christophe Monbaliu, Elise Villemin, Benjamin Elias and Jacqueline Marchand-Brynaert

1. Introduction
 - 1.1. Occurrence and importance of the aminophosphonate derivatives
 - 1.2. Synthetic methods towards aminophosphonates
 - 1.3. The Diels-Alder strategy towards aminophosphonates
 2. Phosphono dienes – Literature survey and initial investigations
 - 2.1. 1-Phosphono-1,3-butadienes
 - 2.2. 2-Phosphono-1,3-butadienes
 - 2.3. Scope and limitation of the DA strategy based on a 1-phosphonodiene
 3. The HDA reactions of 1-phosphonodienes
 - 3.1. Cycloadditions with azo compounds
 - 3.2. Cycloadditions with nitroso compounds
 - 3.3. Asymmetric synthesis
 4. Computational investigation of the HDA reactions
 - 4.1. The phosphonate effect
 - 4.2. HDA cycloadditions of 1-(diethoxyphosphonyl)-1,3-butadiene
 - 4.3. Chiral induction
 5. Transformations of the pyridazine and oxazine cycloadducts
 - 5.1. Reduction of the C=C double bond
 - 5.2. Phosphonate deprotection
 - 5.3. Reductive cleavage of the O–N bond
 - 5.4. *Syn*-dihydroxylation of the C=C double bond
 - 5.5. Sequences of transformations
 6. Conclusions
- Acknowledgments
- References

Synthesis of pulvinic acids

80

Sophie A.-L. Thetiot-Laurent and Thierry Le Gall

1. Introduction
2. Occurrence, physical and biological properties and biosynthesis of pulvinic acid derivatives
 - 2.1. Occurrence and physical properties
 - 2.2. Biological properties
 - 2.2.1. Anti-inflammatory properties
 - 2.2.2. Antimicrobial, antibacterial and antiviral properties
 - 2.2.3. Cesium cation complexation properties
 - 2.2.4. Antioxidant properties
 - 2.3. Biosynthesis
3. Pulvinic acids synthesis

- 3.1. Double anion addition on oxalic acid derivatives
 - 3.1.1. Bis(lactone) as precursor
 - 3.1.2. Silyl ketene acetal as precursor
- 3.2. Oxidative quinone rearrangement
- 3.3. Addition of enolate ester on a dioxolanone
- 3.4. Dieckmann condensation of enol ester
- 3.5. Reformatsky-type reaction
- 3.6. Horner-Wadsworth-Emmons olefination
- 3.7. Alkylidenation of tetronic acid derivatives
 - 3.7.1. Maleic anhydride derivatives and 3-aryltetronates as precursors
 - 3.7.2. Readily available 3-aryltetronic acids as precursors
- 3.8. Suzuki-Miyaura cross-coupling
 - 3.8.1. From arylboron species and triflates of tetronic acid derivatives
 - 3.8.2. From arylboronates and 3-iodotetronic acid derivatives
 - 3.8.3. From arylboronates and iodoalkene derivatives
- 3.9. Norbadiene A synthesis
- 4. Conclusion
- References

Insertion of sulfur atoms by S₂Cl₂ – a convenient way to sulfur heterocycles

103

Oleg A. Rakitin

- 1. Introduction
- 2. Insertion of one sulfur atom
- 3. Insertion of two sulfur atoms
 - 3.1. Synthesis of 1,2-dithioles
 - 3.1.1. From *iso*-propylamines
 - 3.1.2. From other sources
 - 3.2. Synthesis of 1,2,3-dithiazoles
- 4. Insertion of five sulfur atoms – synthesis of fused 1,2,3,4,5-pentathiepins
- 5. Insertion of seven sulfur atoms – synthesis of 1,2,3,4,5,6,7-heptathiocanes
- 6. Conclusions
- Acknowledgments
- References

Intramolecular carbolithiation reactions of aryllithiums in the synthesis of carbocyclic and heterocyclic compounds

124

Unai Martínez-Estíbalez, Asier Gómez-Sanjuán, Oihane García-Calvo, Sonia Arrasate, Nuria Sotomayor and Esther Lete

- 1. Introduction
- 2. Synthetic applications of the intramolecular carbolithiation reaction of aryllithiums

- 2.1. Formation of five-membered rings
- 2.2. Formation of six-membered rings
- 2.3. Enantioselective carbolithiation reactions
- 3. Conclusion
- Acknowledgments
- References

Organometallic chemistry of 2-pyridine- and 2-pyrroleimines, applications in organic synthesis and catalysis

150

Diego Savoia

- 1. Introduction
- 2. Organometallic reactions of 2-pyridineimines
 - 2.1. Mechanism
 - 2.2. Organometallic reactions of 2-pyridine- and 2-pyrroleimines, particularly applied to the preparation of olefin polymerization catalysts
 - 2.3. C–H Activation of 2-pyridine- and 2-pyrroleimines by organo-transition metal complexes
- 3. Stereoselective organometallic reactions of 2-pyridine- and 2-pyrroleimines
 - 3.1. Chemoselective and stereoselective α -aminoallylation of 2-pyridinecarboxaldehyde
 - 3.2. Organometallic reactions of chiral 2-pyridineimines bearing chiral *N*-substituents
 - 3.2.1. The role of the *N*-substituent (chiral auxiliary). Factors affecting the diastereoselectivity
 - 3.2.2. Synthesis of pyridine-aziridine compounds
 - 3.2.2.1. Synthesis of 2-[1-(2-pyridyl)alkyl]aziridines
 - 3.2.2.2. Synthesis of 2-(2-pyridyl)aziridines
 - 3.2.3. Synthesis of ω -(2-pyridyl)- ω -lactams
 - 3.2.4. Stereoselective organometallic reactions of chiral 2-pyrroleimines
- 4. 2-Pyridineimines as ligands in metal-catalyzed organic syntheses
- 5. Conclusion
- References

Conversion of *N*-arylimino-1,2,3-dithiazoles into biologically active heterocycles

190

Alicia Foucourt, Elizabeth Chosson and Thierry Besson

- 1. Introduction
- 2. Synthesis of 4,5-dichloro-1,2,3-dithiazole chloride and its *N*-arylimino-1,2,3-dithiazole derivatives
 - 2.1. 4,5-Dichloro-1,2,3-dithiazole chloride (Appel salt)
 - 2.2. 5-*N*-Arylimino-1,2,3-dithiazole derivatives
- 3. Synthesis of heterocyclic systems *via* 5-*N*-arylimino-4-chloro-1,2,3-dithiazoles
 - 3.1. Five membered rings
 - 3.1.1. Thiazoles
 - 3.1.1.1. Benzothiazoles and derivatives
 - 3.1.1.2. Thiazolopyridines

- 3.1.1.3. Isothiazolopyridines
- 3.1.2. Indoles, benzimidazoles and derivatives
 - 3.1.2.1. Indoles
 - 3.1.2.2. Benzimidazoles
 - 3.1.2.3. Benzoxazoles
 - 3.1.2.4. Pyrazolo[3,4-*d*]thiazole
- 3.2. Six membered rings
 - 3.2.1. Quinazolines and derivatives
 - 3.2.1.1. Quinazolines
 - 3.2.1.2. Triazolo-, imidazo- and pyrazolopyrimidines
 - 3.2.2. Benzoxazines and benzothiazines
 - 3.2.3. Imidazo[4,5,1-*ij*]quinoline-4-thiones
- 4. Conclusion
- Acknowledgments
- References

α,β -Unsaturated trifluoromethyl ketones in the synthesis of fluorinated heterocycles

213

Valentine G. Nenajdenko and Elizabeth S. Balenkova

- 1. Introduction
- 2. Synthesis of three- and four-membered heterocycles
- 3. Synthesis of five-membered heterocycles
 - 3.1. Synthesis of pyrrole derivatives
 - 3.2. Synthesis of furan derivatives
 - 3.3. Synthesis of thiophene derivatives
 - 3.4. Synthesis of pyrazoles and their derivatives
 - 3.5. Synthesis of isoxazoles (isoselenazoles) and their derivatives
 - 3.6. Synthesis of oxazoles
 - 3.7. Synthesis of triazoles
- 4. Synthesis of six-membered heterocycles
 - 4.1. Synthesis of piridines and their derivatives
 - 4.2. Synthesis of quinolines and benzoquinolines
 - 4.3. Synthesis of pyrans, thiopyrans and their derivatives
 - 4.4. Synthesis of pyrimidines and their derivatives
 - 4.5. Synthesis of 1,2-, 1,3- and 1,4-thiazines
 - 4.6. Synthesis of 1,3-oxazines and 1,2,3-oxathiazines
- 5. Synthesis of seven-membered heterocycles
 - 5.1. Synthesis of 1,4-diazepines (benzoanalogues) and 1,5-benzoxazepines
- 6. Synthesis of other condensed heterocycles
- 7. Conclusion
- References

Benito Alcaide and Pedro Almendros

1. Introduction
 2. Preparation of heteroaromatics and related compounds
 - 2.1. Preparation of quinazoline derivatives
 - 2.2. Preparation of pyrazoles
 - 2.3. Preparation of pyrroles
 - 2.4. Preparation of oxazoles
 - 2.5. Preparation of pyrazine, pyridazine and pyrimidine derivatives
 - 2.6. Preparation of oxazine derivatives
 - 2.7. Preparation of δ -carboline derivatives
 3. Conclusions
- Acknowledgments
- References

**Stereoselective synthesis of optically active pyridyl alcohols. Part II:
pyridyl *tert*-alcohols and other pyridine alcohols**

284

Giorgio Chelucci

1. Introduction
2. α -(2-Pyridyl) *tert*-alcohols
 - 2.1. Addition of 2-pyridyllithium to chiral ketones
 - 2.2. Addition of 2-pyridyllithium and organometallic reagents to chiral esters
 - 2.3. Addition of organometallic reagents to chiral pyridyl ketones and nitriles
 - 2.4. Catalytic addition of organozinc reagents to pyridyl ketones
3. β -(2-Pyridyl) *sec*-alcohols
 - 3.1. Reduction of pyridine ketones
 - 3.2. Addition of chiral 2-pyridyllithium derivatives to chiral epoxides
 - 3.3. Ring opening of chiral pyridine epoxides
4. β -(2-Pyridyl) *tert*-alcohols
 - 4.1. Addition of 2-picollythium derivatives to chiral ketones
 - 4.2. Addition of 2-picollythium to chiral esters
 - 4.3. Addition of pyridine lithium derivatives to carbonyl compounds
 - 4.4. Ring opening of chiral pyridine-epoxides
5. β -(2-Pyridyl) *prim*-alcohols
6. Pyridines bound to phenolic rings
7. Miscellaneous pyridine-alcohols
8. Optically active pyridyl alcohols by optical activation methods
 - 8.1. Diastereomer-mediated separation
 - 8.2. Kinetic resolution
9. Conclusions

Acknowledgments

References

Synthesis and functionalization of 4-substituted quinazolines as kinase templates

315

Craig S. Harris, Laurent Hennequin, Rémy Morgentin and Georges Pasquet

1. Introduction

1.1. Significance of quinazolines for the pharmaceutical industry

1.2. Generalized binding mode of quinazolines in kinases

2. Synthetic manipulation of quinazolines

2.1. General reactivity of quinazolines

2.2. Synthesis of substituted quinazolin-4(3*H*)-ones

2.3. Functionalization of quinazolin-4(3*H*)-ones

2.4. 4,6,7-Trisubstituted quinazolines

2.5. 4,5,7-Trisubstituted quinazolines

3. Conclusions

Acknowledgments

References