

TARGETS IN HETEROCYCLIC SYSTEMS

Chemistry and Properties

Volume 8 (2004)

Table of Contents

Porphyrins, phthalocyanines and related compounds as materials for optical limiting

Daniilo Dini, Guo Y. Yang and Michael Hanack

1. Introduction
 2. The optical limiting (OL) effect
 - 2.1. Intensity-dependent optical properties
 - 2.2. Models for absorbing optical limiters
 - 2.3. Nonlinearity of the optical limiting effect
 - 2.4. Metal complexes of conjugated macrocycles and optical limiting
 3. Porphyrins as optical limiters
 - 3.1. Effect of metal coordination
 - 3.2. Effect of meso functionalization
 - 3.3. Oligomeric porphyrins
 - 3.4. Expanded porphyrins
 4. Porphyrazines for optical limiting
 5. Phthalocyanines for optical limiting
 - 5.1. Effect of the combination central atom-axial ligand on OL properties of phthalocyanines
 - 5.2. Effect of peripheral substitution in phthalocyanines
 - 5.3. Effect of symmetry
 - 5.4. Charge transfer complexes with phthalocyanines
 - 5.5. Dimeric phthalocyanines for optical limiting
 - 5.6. Optical limiting of phthalocyanines in films
 6. Naphthalocyanines for optical limiting
 7. Conclusions
- Acknowledgments
References

Trihalide-based imidazolium salts as versatile reagents for the halogenation of unsaturated compounds in ionic liquids

Cinzia Chiappe and Daniela Pieraccini

1. Introduction
 2. Synthesis and characterization of trihalide-based molten salts
 3. Stereoselective bromination of alkenes and alkynes
 - 3.1. Brominating species and product distribution
 - 3.2. Kinetic measurements
 4. Stereoselective iodochlorination and iodobromination of alkenes and alkynes
 - 4.1. Product distribution
 - 4.2. Kinetic measurements
 5. Halofluorination
 6. Electrophilic aromatic substitutions
 7. Conclusions
- Acknowledgments
References

An extremely versatile methodology for the synthesis of enantiopure β -substituted proline analogues with the 7-azanorbornane skeleton

Ana M. Gil, Elena Buñuel and Carlos Cativiela

1. Introduction
2. Building of enantiomerically pure β -substituted key intermediates with the 7-azabicyclo[2.2.1]heptane skeleton

- 2.1. Resolution of racemic mixtures
 - 2.2. Asymmetric synthesis
 3. Stereocontrolled manipulation of the β -substituents
 - 3.1. Functionalisation at the γ -position
 - 3.2. Reactivity studies at the γ -position
 - 3.2.1. Study of olefination reactions
 - 3.2.2. Study of S_N2 reactions
 - 3.2.2.1. Introduction of leaving groups
 - 3.2.2.2. S_N2 displacements at the γ -position
 - 3.2.3. Other transformations of the amino acid side chain
 4. New enantiopure proline- α -amino acid chimeras with the 7-azabicyclo[2.2.1]-heptane skeleton
 5. Conclusions
- Acknowledgments
References

Application of gold catalysis in the synthesis of heterocyclic systems

Antonio Arcadi and Gabriele Bianchi

1. Introduction
 2. Activation of C-H bonds by gold catalysis
 3. Activation of alkynes and allenes towards nucleophilic attack
 4. Gold derivatives as Lewis acids
 5. Dual role Au(III)-catalysis
 6. Gold-catalyzed domino reactions
 7. Conclusions
- Acknowledgments
References

Pyrazolino[60]fullerenes: synthesis and properties

Fernando Langa and Frédéric Oswald

1. Introduction
 2. Synthesis
 3. Electrochemical properties
 - 3.1. Influence of the nature of the heterocycle
 - 3.2. Substitution on the C-side of the pyrazoline
 - 3.3. Substitution on the N-side of the pyrazoline
 4. Photophysical properties
 5. Concluding remarks
- Acknowledgments
References

Thiolysis of 1,2-epoxides under environmentally friendly conditions

Francesco Fringuelli, Ferdinando Pizzo, Simone Tortoioli and Luigi Vaccaro

1. Introduction
2. Thiolysis of 1,2-epoxides in water as reaction medium
 - 2.1. Thiolysis under basic conditions
 - 2.1.1. Thiolysis of alkyl- and aryl 1,2-epoxides
 - 2.1.2. Thiolysis of α,β -epoxyketones and α,β -epoxycarboxylic acids
 - 2.2. Thiolysis under acidic conditions
 - 2.2.1. In(III) and Zn(II): the best catalysts for the thiolysis of 1,2-epoxides
 - 2.3. Zn(II)-Catalyzed thiolysis of 1,2-epoxides under biomimetic conditions
3. Thiolysis of 1,2-epoxides under solvent-free conditions
 - 3.1. Base-catalyzed thiolysis
 - 3.2. Acid-catalyzed thiolysis

4. Conclusions
- Acknowledgments
- References

Synthesis of heterocyclic compounds by [2+2] cycloaddition to oxa- and aza-norbornenic systems (including carbometallation reactions)

Rocío Medel and Joaquín Plumet

1. Introduction
2. The [2+2] cycloaddition reactions. An overview
3. Thermal [2+2] cycloaddition reactions to oxa- and azanorbornene derivatives
4. Photochemically induced [2+2] cycloaddition reactions of oxanorbornene derivatives
5. High-pressure induced [2+2] cycloaddition reactions of oxanorbornene derivatives
6. Transition metal mediated [2+2] cycloaddition reactions of oxa- and azanorbornene derivatives
 - 6.1. Co-catalyzed [2+2] cycloaddition reactions of oxa- and azanorbornene derivatives and alkynes
 - 6.2. Ni-catalyzed [2+2] cycloaddition reactions of oxa- and azanorbornene derivatives and alkynes
 - 6.3. Ru-catalyzed [2+2] cycloaddition reactions of oxa- and azanorbornene derivatives and alkynes
7. Metathesis reactions in oxa- and azanorbornene derivatives
 - 7.1. The metathesis reaction. An overview
 - 7.2. The metathesis reaction of oxa- and azanorbornene derivatives
 - 7.2.1. ROMP of oxa- and azanorbornene derivatives
 - 7.2.2. The sequence ROM-CM reactions in oxa- and azanorbornene derivatives. Synthesis of five-membered ring heterocycles
 - 7.2.2.1. The concurrence between ROMP and ROM-CM
 - 7.2.2.2. The compatibility of the catalyst with functional groups attached to the reactive partners
 - 7.2.2.3. The question of the *E-Z* diastereoselectivity
 - 7.2.2.4. The question of the regioselectivity
8. Conclusions
- Acknowledgments
- References

Properties, synthesis and functionalizations of β -lactams

Luigino Troisi, Catia Granito and Emanuela Pindinelli

1. Introduction
 - 1.1. Inhibitors for β -lactamase
 - 1.2. Inhibitors of Human Leucocyte Elastase (HLE)
 - 1.3. Cysteine protease inhibitors
 - 1.4. Hypocholesterolemic activity
 - 1.5. Anti-hyperglycemic activity
 - 1.6. Anticancer activity
 - 1.7. Antiviral activity
2. Synthesis of β -lactams
 - 2.1. Previous synthetic methodologies
 - 2.2. Novel synthetic methodology
 - 2.3. Synthesis of chiral β -lactams
 - 2.4. Synthesis of β -lactams 4-heteroaryl substituted
3. Functionalization of β -lactams
 - 3.1. Functionalization of β -lactams 4-phenyl substituted
 - 3.2. Functionalization of β -lactams 4-heteroaryl substituted
4. Conclusions
- Acknowledgments
- References

Substituted prolines: syntheses and applications in structure-activity relationship studies of biologically active peptides

Philippe Karoyan, Sandrine Sagan, Olivier Lequin, Jean Quancard, Solange Lavielle and Gérard Chassaing

1. Introduction

2. Syntheses of substituted prolines

2.1. 2-Substituted prolines syntheses

- 2.1.1. 2-Substituted prolines syntheses starting from proline or proline derivatives
- 2.1.2. 2-Substituted prolines syntheses by intramolecular C-N bond forming cyclization
- 2.1.3. 2-Substituted prolines syntheses by C-C bond forming cyclization
- 2.1.4. 2-Substituted prolines syntheses by alternative methods

2.2. 3-Substituted prolines syntheses

- 2.2.1. 3-Substituted prolines syntheses starting from proline or proline derivatives
- 2.2.2. 3-Substituted prolines by C-C bond formation through anionic process
- 2.2.3. 3-Substituted prolines by C-C bond formation through cationic process
- 2.2.4. 3-Substituted prolines by C-C bond forming through radicalar process
- 2.2.5. 3-Substituted prolines by intramolecular cyclization through C-N bond formation
 - 2.2.5.1. From aspartic or glutamic acid derivatives
 - 2.2.5.2. Chiral substrates from Garner's aldehyde
 - 2.2.5.3. Michaël additions of nucleophilic glycine equivalent to chiral oxazolidinones
- 2.2.6. Synthesis of 3-substituted prolines by intermolecular cyclization
 - 2.2.6.1. 1,3-Dipolar cyclization
 - 2.2.6.2. Cyclization by Michaël addition/alkylation sequences
- 2.2.7. Cyclization through dialkylation

2.3. 4-Substituted prolines syntheses

- 2.3.1. From 4-hydroxyproline
 - 2.3.1.1. Direct functionalization
- 2.3.2. From 4-oxoproline
- 2.3.3. From pyroglutamic acid
 - 2.3.3.1. Alkylation of pyroglutamates derived enolates
 - 2.3.3.2. Other strategies
- 2.3.4. Synthesis of substituted prolines by intramolecular cyclization with C-C bond formation
 - 2.3.4.1. Cationic cyclization
 - 2.3.4.2. Radical cyclization
- 2.3.5. From aspartic or glutamic acid derivatives

2.4. 5-Substituted prolines syntheses

- 2.4.1. 5-Substituted prolines syntheses starting from proline derivatives
 - 2.4.1.1. 5-Substituted prolines syntheses by nucleophilic attack on *N*-acyliminium ions
- 2.4.2. 5-Substituted prolines syntheses *via* cyclization
- 2.4.3. 5-Substituted prolines syntheses by alternative methods

3. Effect on peptide conformation and structure

3.1. Conformational properties of proline

3.2. Conformational effects of the introduction of substituents

- 3.2.1. Substituents in position 2
- 3.2.2. Substituents in position 3
 - 3.2.2.1. Side chain conformation
- 3.2.3. Substituents in position 4
- 3.2.4. Substituents in position 5

4. Biological activities of the resulting analogues

- 4.1. Angiotensin, bradykinin
- 4.2. Cholecystokinin
- 4.3. Melanocortin
- 4.4. Opioid
- 4.5. Tachykinins

- 4.6. Melanostatin-PLG
- 4.7. Glutathione
- 4.8. Atrial natriuretic peptide
- 5. Conclusions
- Acknowledgment
- List of abbreviations
- References

Five-membered heteroaryl azides and derived iminophosphoranes: useful intermediates for the construction of *b*-fused pyridine ring systems

Maria Funicello and Piero Spagnolo

- 1. Introduction
- 2. Five-membered heteroaryl azides
 - 2.1. General reactivity
 - 2.2. Synthesis
- 3. Iminophosphoranes
 - 3.1. Iminophosphoranes in the synthesis of (fused) pyridines
 - 3.2. *N*-(Five-membered heteroaryl)iminophosphoranes in the synthesis of *b*-fused pyridines
- 4. Conclusions
- Acknowledgments
- References

1,3-Thiazolidine-4-carboxylic acids as building blocks in organic synthesis

Teresa M. V. D. Pinho e Melo

- 1. Introduction
- 2. Synthesis of 1,3-thiazolidine-annulated systems
- 3. Dipoles from 1,3-thiazolidine-4-carboxylic acids
- 4. 2-Aza-1,3-butadienes or their tautomers from 1,3-thiazolidine-4-carboxylic acids
- 5. Conclusion
- References

Advances in asymmetric synthesis of biologically active molecules using heterocycles as building blocks

Pietro Spanu and Fausta Ulgheri

- 1. Introduction
- 2. Furans
 - 2.1. 2-Trialkylsilyloxyfurans
 - 2.2. 2-Imido-furans
 - 2.3. 2-Carboxy-furans
 - 2.4. 3-Sulfinylfuran-2(*5H*)-ones
 - 2.5. 2(*5H*)-Furanones
 - 2.6. Furan-2,5-diones
- 3. Pyrroles
 - 3.1. *N*-Boc-pyrroles
 - 3.2. 2-Trialkylsilyloxypyrroles
 - 3.3. 1,5-Dihydro-2*H*-pyrrol-2-ones
 - 3.4. Pyrrolidine-2,5-diones
- 4. Pyrones
 - 4.1. 2*H*-Pyran-2-ones
- 5. Pyridines
 - 5.1. 1,4-Dihydropyridines
- 6. Dioxolanes
 - 6.1. 1,3-Dioxolanes

- 6.2. 1,3-Dioxolan-4-ones
- 7. Dioxanes
 - 7.1. 1,3-Dioxan-5-ones
- 8. Oxazoles
 - 8.1. 1,3-Oxazolidines
 - 8.2. Oxazolines
 - 8.3. 1,3-Oxazoles
 - 8.4. 1,3-Oxazolidin-5-ones
 - 8.5. 1,3-Oxazol-4(5*H*)-ones
 - 8.6. 1,3-Oxazol-5(4*H*)-ones
- 9. Imidazoles
 - 9.1. Imidazolidin-4-ones
 - 9.2. Imidazolidine-2,4-diones
- 10. Thiazoles
- 11. Oxazines
 - 11.1. 1,4-Oxazin-2-ones
- 12. Pyrazines
 - 12.1. Piperazine-2,5-diones
 - 12.2. 3,6-Dihydropyrazin-2(1*H*)-ones
 - 12.3. 2,5-Dihydropyrazines
 - 12.4. Pyrazin-2(1*H*)-ones
- 13. Pyrimidines
 - 13.1. Pyrimidin-4(1*H*)-ones
 - 13.2. Dihydropyrimidin-2,4(1*H*,3*H*)-diones
- 14. Conclusions
- References

Syntheses of polyhydroxylated azepanes

Soledad Pino-González, Carmen Assiego and Noé Oñas

- 1. Introduction
- 2. Synthesis of tetrahydroxyazepanes
 - 2.1. From bis-epoxides
 - 2.1.1. Isomerisations (from or to) azepanes
 - 2.1.2. Solid phase synthesis
 - 2.1.3. Synthesis of pseudo, aza di-, tri- or oligo- saccharides
 - 2.1.4. Tetrahydroxyazepane derivatives as potential MGBL's
 - 2.2. From azido or aminosugars
 - 2.3. Synthesis from inositols
 - 2.4. Synthesis from glycosil enamines
 - 2.5. Synthesis of lactams as azepane precursors
 - 2.6. Synthesis *via* ring closing methathesis
- 3. Synthesis of trihydroxyamino azepanes
- 4. Synthesis of trihydroxyazepanes
- 5. Synthesis of pentahydroxyazepanes
- 6. Synthesis of hexahydroxyazepanes
- 7. Related products
- 8. Conclusions
- Acknowledgments
- References

Mass spectrometry of simple indoles. Part 2: Fourier transform mass spectrometry, fast atom bombardment, laser desorption and electrospray ionisation

David Bongiorno, Lorenzo Camarda, Leopoldo Ceraulo and Mirella Ferrugia

1. Introduction
 2. Fourier transform mass spectrometry (FTMS)
 - 2.1. Gas phase acidity of indole carboxylic acids
 - 2.2. Gas-phase basicities of indole and tryptophan
 3. Fast atom bombardment (FAB)
 - 3.1. Indoleamines and tryptamines
 - 3.2. Tryptophan and tryptophan derivatives
 - 3.3. Indole-3-acetic acid and indole-3-acetic acid conjugates
 4. Laser Desorption (LD)
 - 4.1. Arylindoles
 5. Electrospray ionisation (ESI)
 - 5.1. 1-Substituted indoles
 - 5.2. 3-Substituted indoles
 - 5.3. Other indole derivatives
 6. Conclusions
- Acknowledgments
- References

Synthesis of benzo[c]quinolizin-3-ones: discovery and development of novel inhibitors of human steroids 5 α -reductase

Antonio Guarna, Fabrizio Machetti, Ernesto G. Occhiato

1. Introduction
 - 1.1. Steroid 5 α -reductase
 - 1.2. Inhibitors of 5 α -reductase
 2. Synthesis of benzo[c]quinolizinones
 - 2.1. Synthetic strategies. From steroidal to non steroidal inhibitors of 5 α R
 - 2.2. First synthesis of benzo[c]quinolizin-3-ones as non-steroidal inhibitors of 5 α R-1
 - 2.3. Synthesis of 8-chloro-benzo[c]quinolizin-3-ones: Mannich-Michael tandem reaction of *N*-Boc iminium ions with 2-silyloxybutadienes
 - 2.4. Synthesis of more substituted benzo[c]quinolizinones
 - 2.5. Modified aza-Robinson annulation: 4-methyl-substituted benzo[c]quinolizin-3-ones
 - 2.6. Synthesis of 8-substituted 4-methyl-benzo[c]quinolizin-3-ones
 3. Further functionalisation by Pd-catalysed cross-coupling processes. Synthesis of dual inhibitors
 4. SAR (Structure-activity relationship) and a 3D-QSAR model for the inhibition of 5 α -reductase Type 1
 5. Conclusions
- References

ISBN 88 86208-29-4

ISSN 1724-9449

X + 455 pp