

**TARGETS IN HETEROCYCLIC SYSTEMS**  
**Chemistry and Properties**

**Volume 9 (2005)**  
**Table of Contents**

**Cyclodextrins: heterocyclic molecules able to perform chiral recognition (Part I)**

*Francesca D'Anna, Paolo Lo Meo, Renato Noto and Serena Riela*

1. Introduction
2. General features and concepts on chiral recognition by cyclodextrins
  - 2.1. General concepts
  - 2.2. Thermodynamics of chiral recognition
  - 2.3. Molecular models...
  - 2.4. ...and Molecular Modelling
3. Chiral recognition on stage
  - 3.1. Recognition of aminoacids, peptides and their derivatives (1): native cyclodextrins
  - 3.2. Recognition of aminoacids, peptides and their derivatives (2): modified cyclodextrins
  - 3.3. Recognition of aminoacids, peptides and their derivatives (3): higher order systems
  - 3.4. Recognition of simple alcohols, amines and acids
  - 3.5. Recognition of axial and helical chiral molecules

Bibliography and notes

Appendix: Most recent thermodynamic data pertaining chiral discrimination by cyclodextrins

**Multicomponent reactions with 1,3-dicarbonyl derivatives: applications to the synthesis of polyfunctionalized heterocycles**

*Thierry Constantieux and Jean Rodriguez*

1. Introduction
  2. Hantzsch's heterocyclic syntheses
    - 2.1. 1,4-Dihydropyridine and pyridine syntheses
    - 2.2. Pyrrole syntheses
  3. Biginelli dihydropyrimidine syntheses
    - 3.1. The Biginelli condensation
    - 3.2. Variations of the traditional Biginelli condensation
  4. MCRs based on the Mannich reaction
    - 4.1. The Robinson-Schöpf reaction and its variants
    - 4.2. Other MCRs based on the double Mannich condensation
  5. MCRs based on the Knoevenagel reaction
    - 5.1. The domino-Knoevenagel hetero-Diels-Alder reaction
    - 5.2. Variants of the domino-Knoevenagel hetero-Diels-Alder reaction
    - 5.3. Combinations of the Knoevenagel reaction with Michael addition
  6. MCRs based on Michael addition
  7. Miscellaneous
    - 7.1. Metal-catalyzed MCRs involving 1,3-dicarbonyl derivatives
    - 7.2. MCRs involving 1,3-dicarbonyls in combination with acetylenic derivatives
    - 7.3. MCRs involving 1,3-dicarbonyls in combination with isocyanide derivatives
    - 7.4. MCRs involving cyanomalonate derivatives
  8. Conclusion
- Acknowledgments  
References

**Frontiers in biophotonics: heterocycle-based photosensitizers for photodynamic therapy (PDT)**

*Marika Morone, Luca Beverina, Alessandro Abbotto and Giorgio A. Pagani*

1. Introduction

- 1.1. PDT Mechanism of action
  - 1.2. Oxygen in PDT
  - 1.3. Detection and evaluation of singlet oxygen
  2. Photosensitizers
    - 2.1. Photofrin
    - 2.2. 5-Aminolevulinic acid
    - 2.3. Verteporfin
    - 2.4. Tin etiopurpurin
    - 2.5. Temoporfin
    - 2.6. Texaphyrins
    - 2.7. Phthalocyanines
    - 2.8. *N*-Aspartyl chlorine e6
    - 2.9. Rhodamines
    - 2.10. Azadipyrrromethenes
    - 2.11. Squaraines
    - 2.12. Hypericin
    - 2.13. Two-photon photosensitizers
  3. Conclusion and perspectives
- Acknowledgments
- References

## **Synthesis of 1,4-diazabicyclo[X.Y.0]alkanes; scaffolds of dipeptide mimetics and proline derived natural products**

*Wolfgang Maison*

1. Introduction
  2. Diazabicycloalkane natural products
    - 2.1. Tryprostatins
    - 2.2. Verruculogen, fumitremorgins and cyclotryprostatins
    - 2.3. Spirocyclotryprostatins
    - 2.4. Paraherquamides, brevianamides and Asperparalines
  3. Diazabicycloalkane peptide mimetics
    - 3.1. Lactam formations
    - 3.2. Ring closing metathesis
    - 3.3. Intramolecular reductive amination
    - 3.4. *N*-acyliminium cyclization
    - 3.5. Tandem cyclization
  4. Conclusions
- Acknowledgments
- List of abbreviations
- References

## **5,6-Dihydroindolizine core formation under rhodium-catalyzed hydroformylation of *N*-allylpyrroles**

*Roberta Settambolo, Giuditta Guazzelli and Raffaello Lazzaroni*

1. Introduction
  - 1.1. Indolizines family
2. Synthesis of *N*-allylpyrroles
  - 2.1. Methods from pyrrole: synthesis of racemic *N*-allylpyrroles
    - 2.1.1. Procedures which rely on the use of dipolar aprotic solvent
    - 2.1.2. Procedures which rely on the use of phase-transfer catalysis by quaternary ammonium salts
  - 2.2. Methods *via* building of the pyrrole ring: synthesis of racemic and optically active *N*-allylpyrroles
3. Rhodium catalyzed hydroformylation of *N*-allylpyrroles: synthesis of indolizines
  - 3.1. Rhodium catalyzed hydroformylation of olefins: general remarks

- 3.2. Rhodium catalyzed hydroformylation of olefins as instrument for the fine chemistry
- 3.3. Hydroformylation of N-allylpyrroles as key step in two new domino-type processes to 5,6-dihydroindolizines
  - 3.3.1. Experimental conditions
- 3.4. Construction of the indolizine moiety *via* C8-C9 bond formation
  - 3.4.1. Synthesis of racemic 5,6-dihydroindolizines
  - 3.4.2. Synthesis of optically active 5,6-dihydroindolizines
- 3.5. Construction of the indolizine moiety *via* C7-C8 bond formation: synthesis of racemic 7-formyl-5,6-dihydroindolizines
- 3.6. Construction of the indolizine moiety *via* C8-C9 bond formation: synthesis of racemic 8-hydroxy-5,6,7,8-tetrahydroindolizines

#### 4. Conclusions

Acknowledgments

References

### **Synthesis of sulfur heterocycles from aromatic thioketones. Part I: three- and four-membered rings**

*Grzegorz Mlostoń and Heinz Heimgartner*

1. Introduction
  2. Preparation of aromatic thioketones
  3. Synthesis of three-membered rings
  4. Synthesis of four-membered rings
  5. Conclusions
- References

### **Biotransformations in the synthesis of 2-pyrrolidinones and 2-pyrrolinones**

*Fulvia Felluga, Valentina Gombac, Giuliana Pitacco and Ennio Valentin*

1. Introduction
2. 2-Pyrrolidinone-4-carboxylic acids
3. Hydroxylated 2-pyrrolidinones
  - 3.1. 3-Hydroxy-2-pyrrolidinones
  - 3.2. 4-Hydroxy-2-pyrrolidinones
  - 3.3. 5-Hydroxy-2-pyrrolidinones
4. 5-Hydroxy-2-pyrrolinones
5. Enantioselective synthesis of  $\gamma$ -lactams by enzymatic hydrolysis of the lactam ring
6. Enantioselective synthesis of  $\gamma$ -lactams by ring closure of  $\gamma$ -aminoesters
7.  $\gamma$ -Lactams precursors of homo- $\beta$ -Proline and Baclofen
8. Aza analogs of Quercus Lactones
9. Enzymatic resolution of N-hydroxymethyl  $\gamma$ -butyrolactams

Acknowledgments

References

### **Ring expansion and ring opening of azetidines**

*François Couty, François Durrat and Gwilherm Evano*

1. Introduction
2. Ring expansion of azetidinic compounds
  - 2.1. Four-membered to five-membered ring expansions
    - 2.1.1. Expansions to pyrroles, pyrrolidines and pyrrolidinones
    - 2.1.2. Expansions to imidazolidinones
    - 2.1.3. Expansions to isoxazolidines
  - 2.2. Four-membered to six-membered ring expansions
    - 2.2.1. Expansion to piperidines
    - 2.2.2. Expansion to 1,2-oxazines
    - 2.2.3. Expansion to piperidin-2-ones or 2-iminopiperidines

- 2.3. Four-membered to seven-membered ring expansions
    - 2.3.1. Expansion to azepanes
    - 2.3.2. Expansion to azepan-2-ones
  - 3. Nucleophilic ring opening of azetidinic compounds
    - 3.1. Introduction
    - 3.2. Ring opening with heteroatomic nucleophiles
      - 3.2.1. Opening with halides
      - 3.2.2. Opening with oxygen nucleophiles
      - 3.2.3. Opening with nitrogen nucleophiles
      - 3.2.4. Opening with sulfur nucleophiles
    - 3.3. Ring opening with carbon nucleophiles
  - 4. Conclusion
- References and notes

### **Oxidative cleavage of the isoxazolidine ring**

*Gianluigi Broggin, Ivan De Marchi, Michela Martinelli and Gaetano Zecchi*

- 1. Introduction
  - 2. Mechanism and regiochemistry
  - 3. Transformations of the primary hydroxynitrones
    - 3.1. Tautomerization to *N*-hydroxy-tetrahydro-2*H*-1,3-oxazines
    - 3.2. Reduction to 1,3-aminoalcohols
    - 3.3. Hydrolysis to hydroxyketones
    - 3.4. Intermolecular 1,3-dipolar cycloadditions
    - 3.5. Intramolecular 1,3-dipolar cycloadditions
    - 3.6. Access to third generation nitrones
  - 4. Highlights in synthetic applications
    - 4.1. Diastereoselective synthesis of 2,5-disubstituted pyrrolidines
    - 4.2. Asymmetric synthesis of chiral  $\beta$ -hydroxycarbonyl compounds
    - 4.3. Access to non-racemic  $\beta$ -lactones and  $\beta$ -lactams
  - 5. Other oxidation protocols
- References

### **Solid-phase indole synthesis**

*Robert E. Ziegert, Kerstin Knepper and Stefan Bräse*

- 1. Introduction
  - 2. Fischer indole synthesis
  - 3. *Aza*-Wittig, Nenitzescu, Madelung and Bartoli indole synthesis
  - 4. Palladium-catalyzed indole synthesis
  - 5. Miscellaneous synthetic strategies
  - 6. Natural products synthesis
  - 7. Conclusions
- List of abbreviations
- References

### **Transition metal catalysis as methods for the elaboration of phosphorus heterocycles**

*Pierre Fourgeaud, Jean-Pierre Vors and David Virieux*

- 1. Introduction
- 2. Copper catalyzed reactions
  - 2.1. Carbon-carbon formation from organolithium precursors
  - 2.2. Catalytic cyclization of *o*-ethynylphosphonic acid monoesters
- 3. Ruthenium catalyzed phosphorus insertion
- 4. Rhodium catalyzed carbene insertion
- 5. Palladium catalyzed reactions

- 5.1. Arylation and vinylation of P-H compounds
  - 5.2. Intramolecular Heck reactions
  - 5.3. Tandem palladocyclization reactions
  - 5.4. Alkynes insertion into phosphirenes ring
  - 5.5. Pallado-catalyzed cyclizations of azirinylmethylphosphonates
  - 5.6. Asymmetric Diels-Alder reactions
  - 5.7. Hydrogenolysis followed by cyclization
  6. Tantalum catalyzed synthesis of 1,2,4-thiadiphospholes
  7. Lanthanides catalyzed reactions
  8. Ring closing metathesis
    - 8.1. From P<sup>III</sup> dienes and their protected borane derivatives
      - 8.1.1. From phosphines and derivatives
      - 8.1.2. From phosphinites or phosphonites and derivatives
    - 8.2. From P<sup>IV</sup> derivatives
      - 8.2.1. Phosphine oxides
      - 8.2.2. Phosphinic acids and their derivatives
      - 8.2.3. Phosphonic acids and their derivatives
      - 8.2.4. Phosphonamidates and phosphonamides
    - 8.3. Diastereoselective reactions using RCM
    - 8.4. Synthetic applications of RCM with phosphorus derivatives
  9. Conclusion
- Acknowledgments
- References

### **The *Securinega* alkaloids: pursuing a versatile synthetic approach**

*Pau Bayón, Félix Busqué and Marta Figueredo*

1. Introduction
    - 1.1. Sources
    - 1.2. Structures
    - 1.3. Biological activity
    - 1.4. Biosynthesis
  2. Synthesis
    - 2.1. General remarks
    - 2.2. Syntheses of racemic alkaloids
      - 2.2.1. (±)-Securinine
      - 2.2.2. (±)-Norsecurinine and (±)-nirurine
    - 2.3. Diastereoselective, enantiospecific syntheses: chiral pool approaches
      - 2.3.1. (+)- and (-)-Norsecurinine and (-)-dihydronorsecurinine
      - 2.3.2. Phyllantine, securinine, and viroallosecurinine
    - 2.4. The enantioselective approach. (-)-Norsecurinine
  3. Conclusion
- Acknowledgments
- References

### **Enantioselective synthesis of 3-substituted 1(3*H*)-isobenzofuranone derivatives**

*Christophe Len and Brigitte Renoux*

1. Introduction
2. Enantioselective synthesis of 3-substituted 1(3*H*)-isobenzofuranones using a chiral protecting group
  - 2.1. Organometallic attack on an aldehyde bearing a chiral protecting group
  - 2.2. Chiral aryllithium attack on an aldehyde and ketone
  - 2.3. Corey and Wittig homologations of an aldehyde bearing a chiral protecting group
3. Enantioselective synthesis of 3,3-disubstituted 1-isobenzofuranones using a chiral protecting group
4. Enantioselective synthesis of 3-substituted 1(3*H*)-isobenzofuranones

- 4.1. Organometallic attack on an aldehyde in presence of a chiral amino alcohol
- 4.2. Organometallic attack on a ketone in presence of a chiral organoborane
- 4.3. Homogeneous hydrogenation of a ketone in presence of a chiral phosphine
- 4.4. Catalytic asymmetric transfer hydrogenation of a ketone in presence of a chiral aminoalcohol
- 4.5. Metallation of a 1,3-dihydroisobenzofuran derivative in presence of a chiral lithium amide
- 4.6. Crossed alkyne cyclotrimerisation using rhodium(I)
- 4.7. Wittig homologation from an aldehyde *via* asymmetric dihydroxylation

5. Conclusion

References

### **Synthesis of nitrobenzazoles. Part I**

*Lyudmila I. Larina and Valentin A. Lopyrev*

1. Introduction

2. Nitration of benzazoles

2.1. Indazoles

2.2. Benzimidazoles

2.3. Benzisoxazoles, benzoxazoles, benzoxadiazoles

2.4. Benzisothiazoles, benzothiazoles, benzothiadiazoles

2.5. Benzoselenazoles, benzoselenodiazoles

2.6. Benzotriazoles

3. Synthesis of nitrobenzazoles *via* heterocyclization

3.1. Nitroindazoles

3.2. Nitrobenzimidazoles

Acknowledgments

References

ISBN 88-86208-31-6

ISSN 1724-9449

VIII + 362 pp